Jamkhandi Sugars Ltd.. ಜಮಖಂಡಿ ಶುಗರ್ಷ್ ನಿ. ಜಮಖಂಡಿ.

GSTIN No: 29AAACJ8575C1ZD



© CUG No. 7022022148 / 149 Tele Fax: 08353 - 254160. CIN No. U85110KA1993PLC014570

REF.NO: JSL/MFG-Half yearly compliance/MOEF&CC/2021-22/2708 Date: 39.11.2021.

To,

The Joint Director,
GOVERNMENT OF INDIA
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE
INTEGRETED RIGIONAL OFFICE (Southern Zone)
4th Floor, E&F-Wings, Kendriya sadan, 17th Main Road, II Block, Koramangala,
BANGALORE-560034

Dear Sir.

With reference to the above subject, we are enclosing herewith, half yearly Compliance report for the period April- 2021 to September-2021 (Sugar & Distillery Division).

Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully, For Jamkhandi sugarş Ltd,

V.Sivaprakasam. Managing Director.

Encl: As above

COMPLIANCE WITH MOEF / ENVIRONMENTAL CLEARANCE, NEW DELHI F.NO. J-11011/300/2007-IAII (I)

M/S: JAMKHANDI SUGARS LTD HIREPADASALAGI VILLAGE, POST NAGANUR, TQ: JAMKHANDI, BAGALKOT DISTRICT 587301 KARNATAKA

EC obtained from MoEF & CC vide letter no. F.No. J-11011/300/2007-IAII(I) dated 15.02.2021 for sugar cane crushing capacity 11,500 TCD, Co-generation power plant of capacity 34 MW and distillery unit for 150 KLD using multi feedstock of C-Heavy molasses/ B-Heavy molasses and sugarcane syrup with captive power plant 4.7 MW and EC corrigendum is obtained dated 05.05.2021 for replacing the total fresh water requirement for the industry will be 1885 m³/day in place of 985 m³/day.

Present Status: Consent for Establishment Expansion application for both sugar unit, co-gen unit and distillery unit was submitted and was also considered during consent committee meeting and CFexp will be issued shortly.

SPECIFIC CONDITIONS: -

S		COMPLAINOS
N		COMPLAINCE
(i)	environmental protection measures and safeguards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented	the recommendations to the environmental protection measures and safeguards mentioned in the EIA/EMP report.
	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises	Sugar and Co-gen unit: Wastewater generation form the sugar and co-gen unit is treated in ETP; bio-digester is recently installed to make the ETP adequate for the expanded capacity. The treated effluent is being reused for on land for irrigation/ gardening/ greenbelt. Distillery unit: Spent wash generation is being evaporated in Multiple Effective Evaporator and concentrated spent wash will be used as fuel in the incineration boiler. The other process condensate and spent lees will be treated in
		process. The distillery plant is operating on
(iii)	Total fresh water requirement shall not exceed 985 m³/day and it will be met from River Krishna. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and	Zero Liquid Discharge (ZLD). Industry has installed flow meter for the daily fresh water consumption. Industry ensures the fresh water consumption will not exceed the consented quantity.



	renewed from time to time. No groun water recharge shall be permitted with the premises.	vide No. F. No. IA-J-11011/300/2007-IA-II (I dated 05.05.2021 for replacing the total freshwater requirement for the industry will be 1885 m³/day in place of 985 m³/day. EC amendment copy enclosed as Annexure I.
		Fresh water is sourced from River Krishna. Water drawl permission obtained from water resources department GOK is enclosed as Annexure II.
iv)	Spent wash shall be treated using concentration and drying to form potast rich manure.	The spent wash is concentrated in MEE and used as a fuel for incineration Boiler, Boiler, ash
(v)	Co ₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized venders.	Industry ensures the CO ₂ generated during the process will be bottled and sold to authorized
(vi)	Occupational health centre for surveillance of the workers health shall be set up. The health data shall be used in deploying the duties of the workers. All workers and employees shall be provided with required safety kits/mask for personal protection.	Industry is having full-fledged Occupational health center in the factory and health checkup of the employees will be carried out periodically and data will be maintained for future reference.
(vii)	Training shall be imparted to all	The health check report of employees (sample two operators reports) is enclosed as Annexure III
	employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	health aspects. Mock drills will be carried out periodically.
(VIII)	protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	premises and SOP are drawn for manufacturing process. Safety measures are incorporated in the manufacturing process.
(ix)	Process organic residue and spent carbon, if any, shall be sent to cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	containing oil is generated from the industry
(x)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste: (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d)	ETP sludge is used as manure for green belt. Industry has installed flow meters at all effluent generation stations and all the efforts for the minimization of waste generation. Bagasse & molasses are byproducts from sugar manufacturing process. Bagasse will be used as fuel in co-generation boiler as fuel and Molasses will be used to produce Ethanol.
		1222



	Use of close feed system into bat	ch Concentrated spent wash will be used as fuel in
	reactors. (e) Venting equipment through	gh incineration boiler
1	recovery system. (f) use of high-pressu	ire
1	noses for equipment cleaning to reduce	ce Industry is using high pressure hoses for the
	wastewater generation.	cleaning of tubes in the evaporation system to
(int)		minimize the waste water concretion
(xi)	The green belt of at least 5-10 m wid	th Industry has developed asset by
	shall be developed in nearly 33% of the	the houndary place incide the interest all allowing
1	total project area, mainly along the plan	nt in consultation with the
	periphery. Selection of plant species sha	The area covered by areas ball is so so
	be as per the CPCB guidelines	in accounting for 34.26% of the total land area.
1	consultation with the state Fores	et l
	Department. Records of tree canopy sha	The tree plantation details and photographs is
	be monitored through remote sensing	g enclosed as Annexure IV.
(vii)	тар.	
(xii)	As per the ministry's OM dated	d Industry ensures the utilization of funds under
	30.09.2020 superseding the OM dated	altho Cornerate Ferri
	101.03.2016 regarding the Corporate	committed and will be and to the
	Crivironmental Responsibility and as no	office of the minister and the regional
	the action plan proposed by the project	t
	proponent to address the socioeconomic	Activities specified under OFP :
	and environmental issues in the study	Annexure V.
	area, the project proponent, as	y III Commence Model November
	committed, shall provide education funds	
	in technical training centers/support in	
	nearby villages school, support in health	
	care facilities, drinking water supply and	
	funds for miscellaneous activities like	1
	solar street lights lights,battery,solar panel	1
	etc, in the nearby villages. The action plan	1
	shall to be completed within time proposed.	1
(xiii).		
(^,,,,,	There shall be adequate space inside the	Industry has provided an area of 04 acres for
l l	plant premises earmarked for parking of	parking of vehicles for raw materials and
	vehicles for raw materials and finished	finished products.
1	products, and no parking to be allowed	
xiv)	outside on public places	
\1¥)	Storage of raw materials shall be either	The raw material is stored in closed MS steel
	stored in silos or in covered areas to	talks provided with dyke walls surrounding the
	prevent dust pollution and other fugitive	tallo otologe lalik larm photographe given :-
	emissions.	Amickule VI.
	Continuous online (24x7) monitoring	Industry provided online continuous emission /
	custom for the contract of the	
	system for stack emission shall be	chidelit illohitoring system and connected to
	system for stack emission shall be installed for measurement of flue gas	chidelit illohitoring system and connected to
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants	CPCB server as well as Karnataka state
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be	chidelit illohitoring system and connected to
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the COPCB and KSPCB	CPCB server as well as Karnataka state pollution control board server.
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the COPCB and KSPCB server. For online continuous monitoring	CPCB server as well as Karnataka state pollution control board server. photograph of online monitoring system is
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the COPCB and KSPCB server. For online continuous monitoring of effluent, the unit shall install web	CPCB server as well as Karnataka state pollution control board server.
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the COPCB and KSPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and	CPCB server as well as Karnataka state pollution control board server. photograph of online monitoring system is
	system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the COPCB and KSPCB server. For online continuous monitoring	CPCB server as well as Karnataka state pollution control board server. photograph of online monitoring system is



(xvi)	environmental science/Environmental	management cell is enclosed as Appeyure VIII
-------	-------------------------------------	--

12.1 General Conditions:

SI	Conditions:	Compliances
No (i)	No firsther are in the size of	
	No further expansion or modifications in the plant, other than mentioned in the EIA Notifications, 2006 and its amendments, shall be carried out without prior approval of the ministry of environment, forest and climate change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
(ii).	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	Industry ensures that the lighting will be done by using LED only. Industry has installed 500 No's of LED lights inside the industry premises. LED light photographs shown in Annexure IX.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (protection) act,1986 Rules, 1989 viz. 75 dBA(daytime) 70 dBA (night time).	Industry has provided acoustic measures for the generators to control the noise levels. Industry regularly monitoring the noise levels through NABL accredited laboratory third on monthly basis. The noise level in an around the plant area were maintained within the stipulated standards. The Noise analysis reports are enclosed as Annexure X.
(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area.CER activities shall be undertaken by involving local villages and administration and shall be	The company M/s. Jamkhandi sugars Ltd has been undertaking and implementing CSR activities by giving donations to promote various social, cultural and philanthropic activities. The company has spent about Rs. 8.14 Lakhs on various CSR activities.

	implemented. The company sha	11
	undertake eco-developmental measure including community welfare measure	s An amount of budget of Rs. 50 lakhs is
6.3	in the project area for the overa improvement of the environment.	List of CER activities is given in Annexure V.
(v).	funds towards capital cost and recurring	n l
	cost per annum to implement the conditions stipulated by the ministry of environment. Forest and Climater	Budget towards EMP is enclosed as Annexure XI.
	change as well as the state Governmen along with the implementation schedule	t
	for all the conditions stipulated herein The funds so earmarked for environment management/pollution	
	for any other purpose	
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zilla parishad/municipal corporation, Urban local body and the local NGO, if any	Environmental Clearance to the panchyat office and copy of the same enclosed as
	from whom suggestions/representations, if any, were received while processing the	
(vii)	Lproposai.	
(۷11)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions	Industry is regularly submitting the status of six-monthly compliance reports to the Regional Office of MoEF &CC, Bangalore.
	including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF &CC, the respective Zonal Office of	Industry will post the copy of the Environment Clearance and status of the compliance in the company website.
	Environmental clearance and six- monthly compliance status reports about	
	be posted on the website of the company.	
	The environmental statement for each financial year ending 31 st March in Form-V as in mandated shall be submitted to the concerned state	Industry submitting the Environmental statement to the regional office of the state pollution Control Board and status of the compliance for the Environmental
	under the Environment (protection) Rules, 1986, as amended subsequent	compliance for the Environment Clearance conditions by email to the regional office of the ministry.
	company along with the status of	
	conditions and shall also be sent to the	



	respective Regional Offices of MOEF&CC by e-mail.	
(IX).	The project proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with the SPCB/Committee and may also be sent at website of the ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the ministry	Industry has circulated the accordance of the Environment Clearance in the two local news papers and copy of the same is enclosed as Annexure XIII.
(x)	The project authorities shall inform the regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Industry ensures and will intimate the date of the financial closure and final approval of the project and start date of project.
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme court of India, Hon'ble High court, Hon'blr NGT and any other Court of Law, if any, as may be applicable to this project.	Industry abide by the conditions
13.	The ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implantation of any of the above conditions is not found satisfactory.	
14.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of environment (Protection) Act, 1986.	
	Any appeal against this environmental clearance shall lie with the national Green Tribunal, If preferred, within a	

	period of 30 days as prescribed under section 16 of the National Green tribunal act, 2010.	
16.	The above conditions will be enforced, inter-alia under the provisions of the Water (prevention & Control of Pollution) Act, 1974, the Air (prevention& Control of pollution) act, 1981, the environment (protection) act, 1986, the Hazardous Waste Management, Handling and Transboundary movement) Rules, 2016 and the Public liability Insurance Act,1991 read with subsequent amendments therein.	Industry abide by the conditions

This is for your kind information and kindly accepts our compliance.

Thanking you,

Yours faithfully, For Jamkhandi sugars Ltd,

V.Sivaprakasam. Managing Director.



Reg No 08/14570/1993 dt. 26-7-1993

Jamkhandi Sugars Ltd. ಜಮಖಂಡಿ ಶುಗರ್ಸ್ಡ್ ನಿ. ಜಮಖಂಡಿ.

GSTIN No: 29AAACJ8575C1ZD



(F) OFF : 254161/2/3/4 STD : 08353

Tele Fax: 08353 - 254160. CIN No. UB5110KA1993PLC014570

CUG No. 7022022148 / 149

Government of Karnataka

Government of Karnataka Office

Vidhan-souda-Bangalore.

Ref No: ID219 /cin 95

Date: 24.11.95

From, Secretary, Dept. of miner irrigation, Govt. of Karnataka-560001.

To, Chief Engineer, Dept, of miner Irrigation (North) Belgavi-590001. Dear Sir,

Sub: Regarding permission to lift the water for Jamkhandi sugars Ltd, from Chikkapadasalagi barrage for

Factory usage-

Ref: Letter No.cen.pli.jsl.95-96 dtd 19.10.95.

Tq: Jamkhandi, Dist: Bijapur, regarding above subject, Govt. of India Department of industrial letter dated L-1202-94 sanction to lift the water for Jamkhandi sugars ltd, capacity 2500 TCD letter No.L/1202:94 dated 31.3.94.

The chairman of Jamkhandi sugars ltd, has submitted requesting letter to Depterment of miner irrigation Government of Karnataka to sanction the required quantity of water 41.47 MCFT from chikkapadasalagi barrage.

The chief engineer Department miner irrigation (North) Belagavi had submitted the detailed report to the govt. of Karnataka dated 19.10.95.

The submitted report had perused by the govt. of Karnataka and sanctioned the required quantity of water for jamkhandi sugars ltd with respect to the availability of excess water at chickkpadasalagi barrage by considering the usage of jamkhandi city, villages which are depends over the chickkapadasalagi barrage during the peak period.

From October to May as 1.5 Cusecs

= 31.00 Mcft

From June to September as 1.00 Cusecs

= 10.37 Mcft

41.47 Mcft

I, the under signed authorities to issue the order behalf of Govt, of Karnataka.

The following is the quantity of water can be used by the Jamkhandi sugars Ltd with the following conditions.

- Jamkhandi sugars itd has obey the order to maintain the water level at chikkapadasalagi barrage to take up the any kind work upper side of hipparagi barrage or any work related to the dept of miner irrigation.
- 2. We are not responsible for any kind of issues between KrishnaTheera Raita sangh and Jamkhandi sugars ltd.
- 3. Jamkhandi sugars Ltd has to pay water taxes as per the revised tariff.

Yours faithfully.

(M.S. Kariyappa) Secretary, Miner Irrigation Government of Kamataka

Attested by

V. Sivaprakasam Managing Director Jamkhandi Sugars Ltd





UHID: 20210027682

Miraj Road Athani
"TALUKA GENERAL HOSPITAL ATHANI"

CONSULTING ROOM NO: Covid Test CLINIC: Covid19 TOKEN NO: 17



OUT PATIENT RECORD

30805665

FHR ID -2021000201264913

Name: MR. GIRIMALLAPPA L SHINDUR

Department: Covid 19

Dept No.: 2021/074/0007159

Date of Registration: 27-05-2021 10:58:50 AM

Unit: UNIT !
National Health ID:
Billing Type: GENERAL

Mobile No.:

Address: KAKAMARI ATHANI BELAGAVI, KARNATAKA, INDIA

Fees: ₹ 5 Sex: Male S/O L Age: 31Y

Religion: UNKNOWN
Occupation: OTHER
Education: OTHERS

Patient Type: NON MLC Prepared By: Mrs.Geeta Deepak Kantikar

Date and Time of initial assessment:

Clinical History:

Examination Findings:

gui.

Investigation:

Diagnosis:

Treatment:

Follow-up advice:

Doctor's Name:

Medical Officer
Taluka General Hospital.
Athani Dist: Belagavi

ಕನಾಸಿಟಿಕ ಸಕಾಸಿರ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸೇವೆಗಳ ಇಲಾಖಿವತಿಯಿಂದ ಉಚಿತ ತಜ್ಮರ ಸಲಹೆಯನ್ನು Telemedicine ಮೂಲಕ ಒದಗಿಸಲು ಪ್ರಾರಂಭಿಸಿದ. ಮನೆಯಿಂದಲೇ Android Mobile ಮೂಲಕ ಅನಾರೋಗ್ಯ / ಖಾಯಿಲೆಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ತಜ್ಮ ವ್ಯದ್ಯರ ಸಲಹೆ ಪಡೆಯಿರಿ. ಈ ಸೇವೆ ಪಡೆಯಲು Android Mobile ನಲ್ಲಿ ಉಚಿತವಾಗಿ Play store ಮೂಲಕ ಡೌನ್ ಲೋಡ್ ಮಾಡಿಕೊಳ್ಳಿರಿ. App ನ ಮೂಲಕ ರೋಗಿಯ ನೊಂದಣಿ/ ಜನರೇಟ್ ಟೋಕನ್ ಪ್ರಕ್ರಿಯೇ:-Mobile ಸಂಖ್ಯೆ ನಮೂದಿಸಿ OTP ಪಡೆದು ನೊಂದಣಿ ಪ್ರಕ್ರಿಯೇ ಪೂಣುಗೊಳಿಸಿ ಟೋಕನ್ ಪಡೆಯಿರಿ. ನಂತರ ರೋಗಿಯ ಲಾಗಿನ್ ಮಾಡಿ, ರೋಗಿಯ ಸಂಪೂಣಕಿ ವಿವರ ಹಾಗೂ ದಾಖಲಾತಿಗಳನ್ನು ಅಪ್ಪೋಡ್ ಮಾಡಿ ಯಾವ ತಜ್ಮ ವ್ಯದ್ಯರ ಸಲಹೆ ಪಡೆಯಬೇಕು ಎಂದು ಆಯ್ಕೆ ಮಾಡಿರಿ. ವ್ಯದ್ಯರ ಲಭ್ಯತೆಗಾಗಿ ನಿರೀಕ್ಷಿಸಿ. ವ್ಯದ್ಯರು ಪರದೆಯಲ್ಲಿ ಮೂಡಿದಾಗ ಆ ವ್ಯದ್ಯರನ್ನು ವಿಡಿಯೋ ಸಂಪಾದದ ಮೂಲಕ ಸಂಪಕಿಕಿಸಿ, ಸಲಹೆ ಪಡೆಯಿರಿ. ವೈದ್ಯರು ನೀಡುವ ಸಲಹೆ ಚೀಟಿ (e-prescription) ಡೌನ್ ಲೋಡ್ ಮಾಡಿಕೊಳ್ಳಿರಿ. ಈ ಮಾಹಿತಿಯನ್ನು ಇತರರಿಗೆ ರವಾನಿಸಿ

sates liebosoital I karnataka nov in/aHosoitalRanistration/homa

1/1

MEDICAL CERTIFICATE

COVID-19 FREE / ASYMPTOMATIC CERTIFICATE

I, Dr A.R. Inom Im is a registere	d medical practitioner
and holding Medical license registration	number
31/05/21 have examined	
Mr/Miss Roman Chingan S/c	
On Date 31 05 21 2021 and have for	und
Mr/miss Romen Chingues free fro	m the following
disease: CORONA VIRUS Disease – Covid-	19 currently
asymptomatic. ~	
Dated: 31 05 21 2021	Signatura and Signatura
Registe	red Medical Practitianer
Dr	elinic clinic
Sector_	Jandolas :
The O CA	ans Distt Begaleste-
State born	Inb Pin 586113

Annexure -IV

Green belt:

1. Total land : 149 A-33G

2. Green belt area = 49.17 Acers

List of tree species

SL NO	Tree species	Alumbar of secsion	_
1	Neem	Number of species	
2	Tamarind	3500	
3	Ashoka	2500	
4	Peepal	3000	
5	Champak	1500	
6	Almond	1000	
7		1000	
8	Kadamba tree	1000	
9	Paper plant	800	
	Air tree	1000	
10	Banni tree	800	
11	Exto tree	500	
12	Flower plant	800	
13	Bottom palm tree	500	
14	Hibiscus plant	600	
15	Travelers palm	200	
16	Diplora tree	800	_
17	Exile tree	500	
18	Muchanda tree	800	
19	Kudaki tree	600	
20	Sweet sop tree	450	
21	Zuari banana tree	400	
22	Mango tree	800	

Total = 23550 trees





Scanned with CamScanner



Scanned with CamScanner

Regd. NO. DR/SOR/22/85-86. Date 27-9-85



ತ್ರೀ ವರ್ಧಮಾನ ಶಿಕ್ಷಣ ಸಂಸ್ಥೆ, ಸಂಕೋನೞ್ಟ.

उगा ಅಥಣೆ

ಜಿ॥ ಬೆಳಗಾವಿ

SHRI VARDHAMAN EDUCATION SOCIETY SANKONATTI-591304.

Tal. Athani.

Dist. Belagavi

Ref. No. 17 / 2019-20

Date: 17-10-2019

n, ಮಾನ್ಯ ಶ್ರೀ ಆನಂದ ಸಿದ್ದು ನ್ಯಾಮಗೌಡ ಶಾಸಕರು, ಜಮಖಂಡಿ

ಮಾನ್ಯರೇ,

ಶ್ರೀ ವರ್ಧಮಾನ ಶಿಕ್ಷಣ ಸಂಸ್ಥೆಯ ವತಿಯಿಂದ ಬಡ, ದುರ್ಬಲ ಹಾಗೂ ಪ್ರತಿಭಾವಂತ ಮಕ್ಕಳಿಗೆ ವ್ಯವಸ್ಥಿತ ರೀತಿಯಲ್ಲಿ ಶಿಕ್ಷಣವನ್ನು ನೀಡುವ ಉದ್ದೇಶದಿಂದ ಶ್ರೀ ವರ್ಧಮಾನ ಆಂಗ್ಲ ಮಾಧ್ಯಮ ಪ್ರಾಥಮಿಕ ಶಾಲೆಯ ಸುಸಜ್ಜಿತ ನೂತನ ಕಟ್ಟಡವನ್ನು ಸಂಕೋನಟ್ಟಿಯಲ್ಲಿ ನಿರ್ಮಿಸಲಾಗುತ್ತಿದೆ.

ತಾವು ನಮ್ಮ ಸಂಸ್ಥೆಯ ಶ್ರೀ ವರ್ಧಮಾನ ಆಂಗ್ಲ ಮಾಧ್ಯಮ ಪ್ರಾಥಮಿಕ ಶಾಲೆಯ ನೂತನ ಕಟ್ಟಡದ ನಿರ್ಮಾಣದ ಸಲುವಾಗಿ ನೀವು ಮೂರು ಶಾಲಾ ಕೊಠಡಿಗಳನ್ನು ನಿರ್ಮಿಸಲು ವಾಗ್ಧಾನ ಮಾಡಿರುವಿರಿ. ತಮ್ಮ ಈ ಅಮೂಲ್ಯವಾದ ದೇಣಿಗೆಯ ಮೂಲಕ ಅವಿರತವಾಗಿ ಜ್ಞಾನ ಪ್ರಸಾರವನ್ನು ಮಾಡುತ್ತಿರುವ ಪರಮಪೂಜ್ಯ ಜಗದ್ಗರು 'ಕರ್ಮಯೋಗಿ' ಸ್ವಸ್ತಿ ಶ್ರೀ ಚಾರುಕೀರ್ತಿ ಭಟ್ಟಾರಕ ಪಟ್ಟಾಚಾರ್ಯವರ್ನ ಮಹಾಸ್ವಾಮಿಗಳವರ ಕೃಪಾಶೀರ್ವಾದಕ್ಕೆ ತಾವು ಪಾತ್ರರಾಗಿರುವಿರಿ.


ತಾವು ಮಾಡಿರುವ ಧನ ಸಹಾಯಕ್ಕೆ ಸಂಸ್ಥೆಯು ತಮಗೆ ಹೃದಯಪೂರ್ವಕ ನಮನಗಳನ್ನು ಸಲ್ಲಿಸುತ್ತದೆ. ಇನ್ನು ಮುಂದೆಯೂ ಸಹ ತಾವು ಈ ಸಂಸ್ಥೆಯ ಅಭಿವೃದ್ಧಿ ಸಂಸ್ಥೆಯ ಉತ್ತರೋತ್ತರ ಚಟುವಟಿಕೆಗಳಲ್ಲಿ ಭಾಗವಹಿಸಿ ಪಾತ್ರರಾಗುವಿರೆಂದು ನಂಬಿದ್ದೇವೆ.

. 4,90 000 / -


ಶ್ರೀ ಪರ್ಧಮಾನ ಶಿಕ್ಕಣ ಸಂಸ ಸಂಕೋಷಟ್ಟಿಕಾ.ಅಥಣಿ ಡೆ.ಟೆಳಗಾವಿ

SYNB0000536

B/CNO.05363070000977




Annexure-VII



Annexure-VIII

JAMKHANDI SUGARS LTD, HIREPADASALAGI,

	E	NVIRONMENTAL MANAGEMENT CELL	
		V	
		CHAIRMAN AND BOARD OF DIRECTORS	
		V	
		MANAGING DIRECTOR	
		V	<u></u>
GENERAL MANAGER -Works	SAFETY OFFICERS	MANAGER ENVIRONMENT	MEDICAL OFFICER
		LABOTATORY CHEMIST	
		OPERATORS	
		V	
		HELPERS	
		PROCESS SUPERVISORS	
		<u></u>	
		MAINTAINANCE ENGINEERS	
		Description of the state of the	





Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Certified by ISO-14001-2015,ISO 22000-2018, ISO 45001-2018,ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1" & 2" Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,



E-mail: msv.lab01@gmail.com, labmsv@gmail.com, Website: www.msvalbellary.com

MSVAL/A/F/17/04

Issued Date: 19.04.2021

NOISE LEVEL MONITORING REPORT

Test Report No: TC720721000005647F

M/s. Jamakhandi Sugars Ltd.,(Distillery Unit)

At: Hirepadasalagi, Post: Naganur - 587301,

Tq: Jamkhandi, Dist: Bagalkot

2. Sample Collected By

1. Name of the Project

MSV Analytical Laboratories

3. Particulars of the sample collected

Noise meter

4. Date of Monitoring

14.04.2021 19.04.2021

6. Method Adopted

5. Report Date

Instrument Manual Method

	Sample Location	Time Frequency	RESULTS				
S.No			Min in dB(A) Leq	Max in dB(A) Leq	Avg. in dB(A) Leq	KSPCB limits in dB(A) Leq	
		Day Time					
1	Near Main Gate	12.25pm to 12.40pm	61.7	69.0	65.4	75 (6.00am to 10.00pm)	
2	Near Evaporation Section	12.55pm to 01.10pm	66.4	71.5	69.0		
3	Near Distillation Section	01.25pm to 01.40pm	71.8	74.4	73.1		
4	Near Laboratory	02.00pm to 02.15pm	54.0	60.1	57.1		
5	Near Ware House	02.30pm to 02.45pm	64.8	69.7	67.3		

INFERENCE


As per KSPCB Standards,

Report Status:- In the all locations Noise level is within the limits

Verified by

Coord

Authorized Signature



² Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

³ This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

⁴ Total liability of our laboratory is limited to the invoice amount. Any dispute ansing out of this report is subject to Bellary Junsdiction only

⁵ Sampling is not done by us unless off erwise specified 6. The tests and/or calibrations marked with an are not accredited by NABL.



Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Certified by ISO-14001-2015,ISO 22000-2018, ISO 45001-2018,ISO 9001-2015) C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1" & 2" Floor)

C.M.C Ward No 18 & C.1.C W.No.16 1.5 No. 695/A/32/B1, Block No 13 (1) G. 2 1.667/ Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

59, JC

_/ _\ [C-7207

E-mail: msv.lab01@gmail.com, labmsv@gmail.com, Website: www.msvalbellary.com

MSVAL/A/F/17/04

NOISE LEVEL MONITORING REPORT

Test Report No: TC720721000005648F

Issued Date: 19.04.2021

1. Name of the Project

M/s. Jamakhandi Sugars Ltd.,(Distillery Unit)

At: Hirepadasalagi, Post: Naganur - 587301,

Tq: Jamkhandi, Dist: Bagalkot

2. Sample Collected By

MSV Analytical Laboratories

3. Particulars of the sample collected

: Noise meter : 14.04.2021

Date of Monitoring
 Report Date

19.04.2021

6. Method Adopted

Instrument Manual Method

\$.No	Sample Location	Time Frequency	RESULTS			
			Min in dB(A) Leq	Max in dB(A) Leq	Avg. in dB(A) Leq	KSPCB limits in dB(A) Leq
		Night Time		1/1		
1	Near Main Gate	10.05pm to 10.20pm	58.2	63.9	61.1	70 (10.00pm to 6.00am)
2	Near Evaporation Section	10.25pm to 10.40pm	60.5	65.2	62.9	
3	Near Distillation Section	10.50pm to 11.05pm	66.1	68.0	67.1	
4	Near Laboratory	11.10pm to 11.25pm	50.5	52.9	51.7	
5	Near Ware House	11.30pm to 11.45pm	61.2	63.4	62.3	

INFERENCE

As per KSPCB Standards,

Report Status: - In the all locations Noise level is within the limits

Verified by

Parent



Authorized Signature

Note: 1. The results listed only to the tested samples & applicable parameters,

Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

^{3.} This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

^{4.} Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

^{5.} Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Certified by ISO-14001-2015,ISO 22000-2018, ISO 45001-2018,ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1" & 2" Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No: Mob: 94498 03895, (0): 08392-255169,

E-mail: msv.lab01@gmail.com, labmsv@gmail.com, Website: www.msvalbellary.com



MSVAL/A/F/17/04

NOISE LEVEL MONITORING REPORT

Test Report No: TC720721000012138F

Issued Date: 21.09.2021

Name of the Project

M/s. Jamakhandi Sugars Ltd., (Distillery Unit)

At: Hirepadasalagi, Post: Naganur - 587301,

Tq: Jamkhandi, Dist: Bagalkot

2. Sample Collected By

MSV Analytical Laboratories

3. Particulars of the sample collected

Noise meter

4. Date of Monitoring

16.09.2021

5. Report Date

21.09.2021

Method Adopted

Instrument Manual Method

S.No	Sample Location	Time Frequency	RESULTS			
			Min in dB(A) Leq	Max in dB(A) Leg	Avg. in dB(A) Leq	KSPCB limits in dB(A) Leq
		Day Time				
1	Near Main Gate	03.05pm to 03.20pm	64.7	69.7	67.2	75 (6.00am to 10.00pm)
2	Near Evaporation Section	03.30pm to 03.45pm	72.4	73.0	72.7	
3	Near Distillation Section	04.00pm to 04.15pm	71.1	74.2	72.7	
4	Near Laboratory	04.25pm to 04.40pm	59.3	62.4	60.9	
5	Near Ware House	05.00pm to 05.15pm	69.1	73.1	71.1	

INFERENCE

As per KSPCB Standards,

Report Status: - In the all locations Noise level is within the limits

Verified by

Authorized Signature



Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Certified by ISO-14001-2015,ISO 22000-2018, ISO 45001-2018,ISO 9001-2015) C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1" & 2" Floor) Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169, E-mail: msv.lab01@gmail.com, labmsv@gmail.com, Website: www.msvalbellary.com



NOISE LEVEL MONITORING REPORT

Test Report No: TC720721000012139F

1. Name of the Project

2. Sample Collected By

Particulars of the sample collected 4. Date of Monitoring

5. Report Date

6. Method Adopted

Issued Date: 21.09.2021

MSVAL/A/F/17/04

M/s. Jamakhandi Sugars Ltd.,(Distillery Unit) At: Hirepadasalagi, Post: Naganur - 587301,

Tq: Jamkhandi, Dist: Bagalkot

MSV Analytical Laboratories Noise meter

: 16.09.2021 21.09.2021

: Instrument Manual Method

S.No	Sample Location	Time Frequency	RESULTS			
			Min in dB(A) Leg	Max in dB(A) Leq	Avg. in dB(A) Leq	KSPCB limits in dB(A) Leq
		Night Time	La in			
1	Near Main Gate	10.15pm to 10.30pm	62.1	69.1	65.6	70 (10.00pm to 6.00am)
2	Near Evaporation Section	10.35pm to 10.50pm	66.3	68.8	67.6	
3	Near Distillation Section	11.00pm to 11.15pm	67.5	69.3	68.4	
4	Near Laboratory	11.20pm to 11.35pm	52.1	56.1	54.1	
5	Near Ware House	11.40pm to 11.55pm	64.4	68.4	66.4	

INFERENCE

As per KSPCB Standards,

Report Status: - In the all locations Noise level is within the limits

Verified by

Authorized Signature





Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4 Total liability of our taboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5 Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.

Annexure WX

BUDGET FOR MONITORING AND PROCUREMENT DETAILS

SI.	Application	Budget towards EMP, Rupees in Lakhs						
No.		Already implemented in existing sugar, co- gen and distillery industry Rs. in lakhs						
1.0	Capital Investment							
1.1	ash handling, online monitoring system)	354	3700					
1.2	Waste water treatment facilities with online monitoring system viz., effluent flow meter and IP camera	125/-	200/-					
1.3	Green belt	5.0/-	6/-					
1.4	Laboratory and monitoring facilities	2.5/-	3/-					
1.5	On line monitors	12/-	10/-					
1.6	Rain water harvesting system	2	15/-					
(MAZ)	Sub total	538.5/-	3934/-					

JAMINARDI SO

Reg. No. 08/14570/1993 dl. 26-7-1993

Jamkhandi Sugars Ltd.,

ಜಮಖಂಡಿ ಶುಗರ್ಷ್ ನಿ. ಜಮಖಂಡಿ.

GSTIN No: 29AAACJ8575C1ZD

Amescuse

(C) CUG No. 7022022148 / 149 Tele Fax: 08353 - 254160.

CIN No. U85110KA1993PLC014570

Ref: JSL/ADM/Sug-Dist/EC/2020-21/391

Date: 17.02.2021

To,

Gram Panchayat. Village: Hirepadasalagi Tq: Jamkhandi, Dist: Bagalkot

Karnataka

Dear Sir,

Subject: Submitting EC copy issued to us for the expansion of sugar, cogen and distillery Reg.....

The Ministry of Environment Forest & Climatic Change (MOEF & CC) has accorded environment clearance for our proposal for expansion of our sugar, cogen and distillery units at Village Hirepadasalagi, Tq: Jamkhandi, Dist: Bagalkot, State: Karnataka and the copy of the same is enclosed herewith for your reference records. The copies of the clearance letter are available with the SPCB / committee and may also be seen at website of ministry and at https://parivesh.nic.in/. Kindly acknowledge the receipt of the same.

Thanking You

For Jamkhandi Sugars Ltd,.

SIVAPRAKASAM.V **Managing Director**

Encl: Environment Clearance letter dated: 15th February 2021.

ವಂಚಾಯತ ಆಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿಗಳು

Reg. No. 08/14570/1993 dt. 26-7-1993

Jamkhandi Sugars Ltd.

ಜಮಖಂಡಿ ಶುಗರ್ಸ್ ನಿ. ಜಮಖಂಡಿ.

GSTIN No: 29AAACJ8575C1ZD



CUG No. 7022022148 / 149
Tele Fax: 08353 - 254160.
CIN No. U85110KA1993PLC014570

Date: 17.02.2021

Ref: JSL/ADM/Sug-Dist/EC/2020-21/396

To,
The Thahashildar
Taluka office
Minividhanasoudha, Jamkhandi
Tq: Jamkhandi, Dist: Bagalkot
Karnataka

Dear Sir,

Subject: Submitting EC copy issued to us for the expansion of sugar, cogen and distillery Reg....

The Ministry of Environment Forest & Climatic Change (MOEF & CC) has accorded environment clearance for our proposal for expansion of our sugar, cogen and distillery units at Village Hirepadasalagi, Tq: Jamkhandi, Dist: Bagalkot, State: Karnataka and the copy of the same is enclosed herewith for your reference records. The copies of the clearance letter are available with the SPCB / committee and may also be seen at website of ministry and at https://parivesh.nic.in/. Kindly acknowledge the receipt of the same.

Thanking You

For Jamkhandi Sugars Ltd,.

SIVAPRAKASAM.V Managing Director

Encl: Environment Clearance letter dated: 15th February 2021.

ಬಾಗಲಕೋಟೆ

ಶನಿವಾರ, ಫೆಬ್ರವರಿ 27, 2021

ಹಿಂದುಳಿಯಬೇಡಿ

ಯುಖ ಘಟ್ಟ ■ ಪರೀಕ್ಷಾ ಪೂರ್ವ ತಯಾರಿ ನಡೆಸಿ



ಗುಳೇದಗುಡ್ಡ: ಬಾಲಕರ ಪದವಿ ಪೂರ್ವ ಕಾಲೇಜಿನಲ್ಲಿ ಎಸ್ಎಸ್ಎಲ್ಸ್ ವಿದ್ಯಾರ್ಥಿಗಳಿಗೆ ಪರೀಕ್ಷಾ ಮೂರ್ವ ತಯಾರಿ ಕುರಿತು ನಡೆದ ಸಭೆಯಲ್ಲಿ ಸಾರ್ವಜನಿಕ ಶಿಕ್ಷಣ ಇಲಾಖೆಯ ಕರ್ನಾಟಕ ಪ್ರೌಢಶಿಕ್ಷಣ ಪರೀಕ್ಷಾ ಮಂಡಳಿ ಬೆಳಗಾವಿ ವಿಭಾಗದ ನಿರ್ದೇಶಕ ವಾಲ್ಟರ್ ಡಿಮೆಲ್ಲೋ ಮಾತನಾಡಿದರು.

ದಾಗಲಕೋಚೆ ಜಿಲ್ಲೆಯ ನೋಡಲ್ ಅಧಿಕಾರಿಯಾಗಿದ್ದು ಎಸ್ಎಸ್ಎಲ್ಸ್ ಪರೀಕ್ಷೆಯಲ್ಲಿ ಜಿಲ್ಲೆ ಉತ್ತಮ ಸಾಧನೆ ಮಾಡಬೇಕು ಎಂದರು.

ಸಮನ್ಯಯಾಧಿಕಾರಿ ಎಂ.ಪಿ. ಮಾಗಿ, ದೈಹಿಕ ಶಿಕ್ಷಣ ಪರೀವಿಕ್ಷಕ ವಿವೇಕಾನಂದ ಮೇಟಿ, ಶಿಕ್ಷಣ ಸಂಯೋಜಕ

ಹನಮಂತರಾಜು, ಉಪಪ್ರಾಚಾರ್ಯರಾದ ರಾಜಕೇಖರ ಪಾಗಿ, ಮನೋಹರ ಚಲವಾದಿ, ಚನಬಸವು ಕುರುಬರ, ಪಿ.ಎಸ್.ಪಾಟೀಲ, `ಎಸ್.ಸಿ. ಕೊರವರ, ಎಸ್.ಎ. ಕ್ಷೇತ್ರ ಶಿಕ್ಷಣಾಧಿಕಾರಿಗಳಾದ ರುದ್ರಪ್ಪ ಹುರಳಿ, ಕ್ಷೇತ್ರ ಸೊಲ್ಲಾಪುರಕರ, ಎಸ್.ಜಿ. ಬಲ್ಲೂರ, ವೈ.ವೈ. ಹಾವರಗಿ, ಎಂ.ಎಸ್. ಮಾಶಾಳ, ಎಸ್.ಬಿ. ಕತ್ತಿ, ಬಿ.ಕೆ. ಹಿರೇಮಠ ಇತರರು ಇದ್ದರು.

ಜಮಖಂಡಿ ಶುಗರ್ಗೆ ಉತಮ ಪರಿಸರ ನಿರ್ವಹಣೆ ಪ್ರಶಸ್ತಿ.

ಜಮಖಂಡಿ: ಭಾರತ ಸರ್ಕಾರದ ಪರಿಸರ ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯ ಹಿರೇ ಪಡಲಸಗಿಯ ಜಮಖಂಡಿ ಶುಗರ್ಡ್ನ ಉದ್ದೇಶಿತ ಸಕ್ಕರೆ, ಸಹವಿದ್ಯುತ್ ಮತ್ತು ಡಿಸ್ಟಿಲರಿ ಘಟಕೆಗಳ ವಿಸ್ತರಣಾ ಪ್ರಸ್ತಾಪಕ್ಕೆ ಪರಿಸರ ಅನುಮತಿ ನೀಡಿದೆ. ಪರಿಸರ ಅನುಮತಿ ಪತ್ರದ ಪ್ರತಿಗಳು ರಾಜ್ಯ ಪರಿಸರ ನಿಯಂತ್ರಣ ಮಂಡಳಿ ಮಿತಿಯಲ್ಲಿ ಮತ್ತು ಸಚಿವಾಲಯದ ವೆಚ್ಚಾಟ್ ದಲ್ಲಿ ಮಾಹಿತಿಗಾಗಿ ಲಭ್ಯವಿದೆ ಎಂದು ಜಮಖಂಡಿ ಶುಗರ್ ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು ಪತ್ರಿಕಾ ಪ್ರಟಕಣೆಯಲ್ಲಿ

ನಾಳೆ ಖೋ ಖೋ ಪಂದ್ಯಾವಳಿ

ಜಮಖಂಡಿ:ಹುನ್ನೂರು ಗ್ರಾಮದಲ್ಲಿ ಯಲ್ಲಮ್ಮದೇವಿ ಜಾತ್ರೆ ನಿಮಿತ್ತ ರೇಣುಕಾದೇವಿ ಗೆಳೆಯರ ಬಳಗ ಹಾಗೂ ವೈಎಂಸಿ ಸ್ಪೋರ್ಟ್ಸ್ ಕ್ಲಬ್ಸ್ ಸಹಯೋಗದಲ್ಲಿ ಸರ್ಕಾರಿ ಮಾದರಿ ಹಿರಿಯ ಪ್ರಾಥಮಿಕ ಶಾಲೆ ಆವರಣದಲ್ಲಿ ಪುರುವರ ಮುಕ್ತ ಮ್ಯಾಟ್ ಖೋಖೋ ಪಂದ್ಯಾವಳಿ ಫೆ.28ರಂದು ಆಯೋಜಿಸಲಾಗಿದೆ. ಶಾಸಕ ಆನಂದ ನ್ಯಾಮಗೌಡ ಪಂದ್ಯಾವಳಿಗೆ ಚಾಲನೆ ನೀಡಲಿದ್ದಾರೆ. ಮ್ಯಾಟ್ ಮೇಲೆ ನಡೆಯಲಿರುವ ಪಂದ್ಯಾವಳಿಯಲ್ಲಿ ವಿಜೀತ ತಂಡಗಳಿಗೆ ಪ್ರಥಮ 15,001ರೂ, ದ್ವಿತೀಯ 10,001, ತೃತೀಯ 7001 ಹಾಗೂ ಚತುರ್ಥ 5001ರೂ. ಬಹುಮಾನ ನೀಡಲಾಗುವುದು. ಹೆಚ್ಚಿನ ಮಾಹಿತಿಗೆ ಗ್ರಾವಂ ಉಪಾಧ್ಯಕ್ಷ, ಮೋಮೋ ಆಟಗಾರ ಅಕೋಕ ಮೈಗೂರ (ಮೊ.9880443783) ಅವರನು ಸಂಪರ್ಕಿಸಲು ಸಮಿತಿಯವರು ಪ್ರಕಟಣೆಯಲ್ಲಿ ತಿಳಿಸಿದ್ದಾರೆ.

ಶಿಷ್ಟವೇತನ ಮಂಜೂರಿಗೆ :

¢

୍ର ଓ ଓ ଓ

NEEDO NOTE COM

AUD NOUNU SOON ACTUS NAMED TO NOT THE MANUAL PROPERTY OF THE P ಜಿಲ್ಲಾ ಸಂಚಾಲಕರಾಗಿ ನೇಮಕ

ದ ದಿನ್ನಿ ರಾಜ್ಯ ಕಾರ್ಯಕರ ಸಂಘಟನೆಗಳಿಂದ ಆಕ್ರೋಶ Sold State S



TO WOOD OF STREET STREE



ನೆ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ಯ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಟ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷ್ಣಿಸ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಾಪ್ತ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷ್ಣಿಸ್ತ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷಿಪ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷ್ಣಿಸ್ಟ್ರ ಕ್ಷಿಪ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷಿಪ್ತ್ರ ಕ್ಷಿಪ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷ್ಣಿಸ್ಟ್ರ ಕ್ಷಿಪ್ಟ್ರ ಕ್ಷ್

ಆರೋಪಿಗೆ ಕಠಿಣ ಶಿಕ್ಷೆಗೆ ಆಗ್ರಹ

TOTAL STATE STATE



ಕ್ಕೆ ಕಾಟರಾಕೂಗಿ (ಗ್ರಚ್ಛತ್) ಕೀರಣ ರಾಜಕ್ಕೆ ಭಾರಾಗುವುದು ಪಾಟರಾಕವರನ್ನು ಎಂಬುತ್ತು ಕಾರ್ವಾಟರು ಈ ಪ್ರಭಟನೆಕ ಮತ್ತುಗಿ

A continue of the continue of

ಸಂಯುಕ್ತ ರ್ಜ್ಯಕರ್ನಾಟಕ | 'ಮೊಲೀಸ್ ಅಧಿಕಾರಿಗಳು ಬಿಜೆಪಿ ಕೈಗೊಂಬೆ'

make tractor for collection and coll



TO SELL CHE TO SELLEN S



The control field of the contr

....